

- Abrams, L.S. Black holes: the legacy of Hibert's error, 919
Abreu, M.C. see Baglin, Ch., 1222
Aers, G.C. see Tandberg, E., 275
Aharoni, H. see Mazuruk, K., 339
Ahmad, T., Tariq, M., Irfan, M., Zafar, M., Ahsan, M.Z., and Shafi, M. Complete disintegration of heavy nuclei induced by 340 GeV negative pions, 519
Ahsan, M.Z. see Ahmad, T., 519
Alexandre, F. see Beerens, J., 311
Alimi, M. see Baglin, Ch., 1222
Allegretto, W. see Parameswaran, M., 184
Allegretto, W., Nathan, A., Chau, K., and Baltes, H.P. Two-dimensional numerical simulations of electrothermal behaviour in very large scale integrated contacts and vias, 212
Allen, S., and Pathria, R.K. Finite-size scaling of $O(n)$ models with singular behaviour, 952
Amor, S.B. see Beerens, J., 311
Anderson, A. see Dagg, I.R., 507
Anderson, T.J. see Howard, A.J., 232
Ansari, M.A. see Rizvi, I.A., 870
Ansari, M.A. see Rizvi, I.A., 1091
Aouadi, M.S. see Cook, J.G., 287
Arcimowicz, B., and Joshi, Y.N. The $5s^25p^2 - (5s^25p5d + 5s^25p^3 + 5s^25p6s + 5s^25p7s)$ transitions in Sb II and $5s^25p - (5s^25p^2 + 5s^2nl)$ transitions in Sb III, 572
Armstrong, R.L. see Krupski, M., 566
Armstrong, R.L., Lo, B., and Powell, B.M. Neutron diffraction study of the structure of the antiferroite crystal $(\text{NH}_4)_2\text{PbCl}_6$, 1040
Atkinson, M.R., and Dixon, A.E. Spatially resolved lifetimes in polycrystalline silicon, 370
Audas, R.D., and Brodie, D.E. Fabrication of devices using vacuum deposited a-Si, 195
Austin, D. see Tellinghuisen, J., 863
Babaky, O., and Hussein, K. The ground state $X^1\Sigma_g^+$ of Na_2 , 912
Babu, K.S. see Lingam, S.C., 139
Baglin, Ch., Bussière, A., Guillaud, J.P., Staley, F., Ogren, H., Sonderegger, P., Baldit, A., Castor, J., Devaux, A., Fargeix, J., Felgeyrolles, X., Force, P., Fredj, L., Landaud, G., Borenstein, S., Busson, Ph., Charlot, C., Chaurand, B., Kluberg, L., Romana, A., Salmeron, R., Abreu, M.C., Barreira, G.P., Bordalo, P., Casaca, A., Ferraz, A., Ferreira, R., Gago, J.M., Gomes, P., Lourenco, C., Maio, A., Peralta, L., Pimenta, M., Ramos, S., Varela, J., Alimi, M., Bedjidian, M., Contardo, D., Descroix, E., Drapier, O., Grossiord, J.Y., Guichard, A., Haroutunian, R., Pizzi, J.R., Gerschel, C., Sinquin, A., Britz, J., Gorodetsky, Ph., Kraus, L., Linck, I., Racca, C., et Cases, R. Production de J/ψ dans les collisions de proton, oxygène et soufre sur cibles lourdes, à 200 GeV/N, 1222
Bakaev, A.V., Ermilov, A.N., and Kabanovich, V.I. $1/(q-1)$ -Expansion study of the q -color problem on a lattice, 497
Balasubramanian, T.K., D'Souza, R., D'Cunha, R., and Rao, K.N. Integrated absorption coefficients of $W(\Delta J=6)$ transitions in solid hydrogen and the sixty-fourth multipole moment of H_2 , 79
Baldit, A. see Baglin, Ch., 1222
Balibanu, F. see Ursu, I., 52
Baltes, H.P. see Parameswaran, M., 184
Baltes, H.P. see Ristić, Lj., 207
Baltes, H.P. see Allegretto, W., 212
Banik, S.N. see Mondal, M., 72
Baquero, R., Quiroga, L., and Camacho, A. Analysis of the structure of the surface local density of states at the Fermi level: an application of the surface Green function matching method, 841
Barbeau, C. see Ricard, A., 543
Baribeau, J.-M. see Lockwood, D.J., 351
Barnes, P.A. see Teh, C.K., 375
Barreau, A. see Dumon, B., 525
Barreira, G.P. see Baglin, Ch., 1222
Barreto, W. see Herrera, L., 855
Barrientos, C., and Martin, I. Core-polarization effects in sub-ordinate series of the alkali atoms, 996
Barron, R.M. see Chandna, O.P., 56
Barut, A.O., and Rusu, P. On the wave-particle-like solutions on nonlinear equations, 100
Bassias, K.V. see Frank, B., 946
Bassignana, I.C. see Howard, A.J., 232
Batalla, E. see Zwart, E.G., 614
Bauer, E. On the influence of the $\Delta(1232)$ -hole bubble on the induced interaction, 733
Beaulieu, J.-M. Spectres des particules négatives et des photons dans les collisions p-W, ^{16}O -W et ^{32}S -W à 200 GeV/nucléon, 1219
Bedjidian, M. see Baglin, Ch., 1222
Beerens, J., Grégoris, G., Lavielle, D., Amor, S.B., Portal, J.C., and Alexandre, F. GaAs-AlAs heterojunctions under hydrostatic pressure, 311
Bélanger, G. Quarks lourds, spectroscopie des T, 1156
Bélanger, M. see Lussier, P., 259
Béliveau, A. see Ethier, L., 657
Benzaquen, M. see Mazuruk, K., 339
Berolo, O. see Davidson, D.A., 225
Berrue, J. see Dumon, B., 525
Berry, M.G. see Jones, B.K., 1022
Besner, A. see Ricard, A., 543
Bhardwaj, M.K. see Rizvi, I.A., 870
Bhardwaj, M.K. see Rizvi, I.A., 1091
Bijnens, J., Sonoda, H., and Wise, M.B. Erratum: Power counting in $1/N_c$ in the chiral soliton model, 543
Birkmire, R.W. see Damaskinos, S., 420
Birnbbaum, G. see Dore, P., 599
Birnbbaum, A. see Marchand, R., 155
Blain, S., Klemberg-Sapieha, J.E., Wertheimer, M.R., and

- Gujrathi, S.C. Silicon oxynitride from microwave plasma: fabrication and characterization, 190
- Blanc, F., Fanguin, R., Gillet, D., Gire, A., Lomaglio, G., Raoult, G., et Theobald, J.-G. Indice hertzien d'une jonction polarisée, 148
- Blanco, F. see García, G., 977
- Bogdan, M. see Ursu, I., 52
- Bordalo, P. see Baglin, Ch., 1222
- Borenstein, S. see Baglin, Ch., 1222
- Borghain, P. see Krori, K.D., 25
- Borghain, P. see Krori, K.D., 935
- Bosi, G. First-order covariant treatment of the influence of space charge and external fields on finite-emittance relativistic beams of charged particles in generalized curvilinear coordinates, 678
- Boubakra, A. see Wick, A., 849
- Bradfield, T. Spontaneously broken Lorentz symmetry: an alternative model, 881
- Brebner, J.L. see Roth, A.P., 330
- Brett, M.J., Westra, K.L., and Smy, T. Simulation of thin film step coverage and microstructure, 347
- Britz, J. see Baglin, Ch., 1222
- Brodie, D.E. see Audas, R.D., 195
- Brodie, D.E. see Johnson, G.W., 358
- Brodie, D.E. see Haque, A., 893
- Brückner, W., Dworschak, K., Kneis, H., Paul, S., Povh, B., Treichel, M., Cujec, B., Döbbeling, H., Güttner, F., Majewski, S., Nomachi, M., Shibata, T.-A., Ransome, R.D., et Walcher, Th. Réaction antiproton-proton aux basses énergies (Expérience PS173 au LEAR), 1193
- Buchanan, M. see McKinnon, G.H., 326
- Buckmaster, H.A. see Chatterjee, R., 632
- Buenerd, M. Constituent approach to total hadronic cross sections and high-energy elastic scattering, 1138
- Bult, R.P. see Steiner, T., 242
- Bult, R.P. see Maciaszek, M., 384
- Bussière, A. see Baglin, Ch., 1222
- Busson, Ph. see Baglin, Ch., 1222
- Byrne, A.D. see Westgate, W.M., 543
- Cada, M. see Keyworth, B.P., 408
- Camacho, A. see Baquero, R., 841
- Campbell, J.L. The study of atomic inner shell transitions using solid state X-ray spectrometers, 806
- Campos, J. see García, G., 977
- Camprotrini, M., Moriarty, K.J.M., Potvin, J., and Rebbi, C. Testing pseudofermion lattice QCD with small quark masses and large volumes, 792
- Camy-Peyret, C. see Chevillard, J.-P., 1065
- Capjack, C.E. see Marchand, R., 155
- Carignan, M. see Del Bianco, W., 545
- Carlone, C. see Ethier, L., 657
- Casaca, A. see Baglin, Ch., 1222
- Cases, R. see Baglin, Ch., 1222
- Castor, J. see Baglin, Ch., 1222
- Chamberlain, S.G. see Inkol, R.J., 400
- Champness, C.H. see Weng, W.S., 294
- Chandna, O.P., Barron, R.M., and Chew, K.T. Finitely conducting orthogonal magnetohydrodynamic plane flows, 56
- Chandola, H.C., and Rajput, B.S. Group structure of superluminal Lorentz transformations and their representation, 645
- Chandola, H.C. see Pandey, V.P., 1002
- Charbonneau, S. see Steiner, T., 242
- Charbonneau, S., Thewalt, M.L.W., Koteles, E.S., and Elman, B. Transient photoluminescence studies of coupled double-quantum wells, 315
- Charbonneau, S. see Maciaszek, M., 384
- Charlot, C. see Baglin, Ch., 1222
- Chatterjee, R., and Buckmaster, H.A. *Research Note/Note de recherche*: New relativistic crystalline electric field effective operators, 632
- Chau, K. see Allegretto, W., 212
- Chaubey, A.K. see Rizvi, I.A., 870
- Chaubey, A.K. see Rizvi, I.A., 1091
- Chaurand, B. see Baglin, Ch., 1222
- Chave, A. see Dumon, B., 525
- Chevillard, J.-P., Mandin, J.-Y., Flaud, J.-M., and Camy-Peyret, C. H_2^{16}O : line positions and intensities between 9500 and 11 500 cm^{-1} . The interacting vibrational states (041), (220), (121), (022), (300), (201), (102), and (003), 1065
- Chew, K.T. see Chandna, O.P., 56
- Choudhury, R. see Krori, K.D., 501
- Christensen, A.B. see Gentieu, E.P., 82
- Chrissomallis, M., Siakavara, K., and Sahalos, J.N. A study of open thick microstrip: the hybrid quasistatic approximation, 747
- Chu, K.M. see Tsou, B.P.C., 218
- Consolati, G., and Quasso, F. *Ortho-para* conversion of positronium in some rare-earth ion aqueous solutions, 76
- Contardo, D. see Baglin, Ch., 1222
- Cook, J.G., Aouadi, M.S., and Das, S.R. Emission spectroscopy as a noninvasive probe for process control during radio frequency sputter deposition of PbTe, 287
- Cordeiro, C.E., and Wagner, D. Fisher-renormalized critical exponents by two hidden variables, 1011
- Cossement, D. see Koskiahde, E., 251
- Crozier, E.D. see Johnson, G.W., 358
- Cujec, B. see Brückner, W., 1193
- Currie, J.F. see Lussier, P., 259
- Currie, J.F. see Diawara, Y., 1007
- Dagg, I.R., Missio, M., Anderson, A., Smith, W., and Read, L.A.A. Far infrared absorption in gaseous CCl_4 and CS_2 , 507
- Damaskinos, S., Phillips, J.E., Roy, M., and Birkmire, R.W. High efficiency CuInSe_2 -(CdZn)S solar cells: fabrication, results, and analysis, 420
- Das (Kar), D. see Krori, K.D., 935
- Das, G.C., Singh, K.H.I., and Karmakar, B. Solitons in ion-beam plasmas bounded by cylindrical geometry, 609
- Das, K. see Krori, K.D., 25
- Das, S.R. see Cook, J.G., 287
- Das, S.R. see Thomas, R.E., 430
- D'Asti, G. see Simard Normandin, M., 199
- Datars, W.R. see Jang, H.F., 321
- Davidson, D.A., and Berolo, O. GaAs charge-coupled devices, 225
- Davies, K.T.R., and Davies, R.W. Evaluation of a class of integrals occurring in mathematical physics via a higher order generalization of the principal value, 759
- Davies, R.W. see Davies, K.T.R., 759
- Day, D.J., Trudeau, M., McAlister, S.P., and Hurd, C.M. Instability and gate voltage noise in GaAs metal-semiconductor field-effect transistors, 238
- D'Cunha, R. see Balasubramanian, T.K., 79
- de Ladurantaye, L., Lépine, Y., and Lewis, L.J. Density of localized states in amorphous semiconductors, 425

- Del Bianco, W.** see Kim, J.C., 135
- Del Bianco, W., and Carignan, M.** Bremsstrahlung linear polarization, 545
- Delecki, Z.A.** A representation of the boundary condition for the macroscopic magnetic field intensity, 939
- Delfino, A.** see Roriz, L.A.L., 37
- Demco, D.E.** see Ursu, I., 52
- Denhoff, M.W.** see McKinnon, G.H., 326
- Descroix, E.** see Baglin, Ch., 1222
- DeSmet, D.J.** see Fernández, F.M., 931
- Deutschman, P.A.** see Maung, K.M., 95
- Devaux, A.** see Baglin, Ch., 1222
- Devine, R.L.S.** see Hunt, N.E.J., 394
- de Wilton, A.C.** see Simard Normandin, M., 199
- Dhaded, A.C.** see Parameswaran, M., 184
- Diawara, Y., Currie, J.F., Gujrathi, S.C., et Oxorn, K.** Effet d'une pulvérisation de l'antimoine dans le a-Si:H, 1007
- Dixon, A.E.** see Atkinson, M.R., 370
- Doan, M.** see Ristić, Lj., 207
- Döbbeling, H.** see Brückner, W., 1193
- Dodd, C.X.** see Thomas, R.E., 430
- Dodelet, J.P.** see Koskiahde, E., 251
- Dominguez-Adame, F.** Bound states of spinless particles with Coulomb interaction in the momentum representation, 992
- Donovan, R.J.** see Tellinghuisen, J., 863
- Dore, P., Filabozzi, A., and Birnbaum, G.** Rototranslational absorption in gaseous H₂-Ar mixtures at intermediate densities, 599
- Drapier, O.** see Baglin, Ch., 1222
- D'Souza, R.** see Balasubramanian, T.K., 79
- Dubowski, J.J., Williams, D.F., Wrobel, J.M., Sewell, P.B., LeGeyt, J., Halpin, C., and Todd, D.** Reflection high-energy electron diffraction study of (111) and (001) CdTe grown on (001) GaAs by pulsed laser evaporation and epitaxy, 343
- Duclos, J.** A survey of the LEAR experimental programme, 1186
- Dumon, B., Berrue, J., Chave, A., et Barreau, A.** Diffusion dépolarisée Rayleigh par des molécules anisotropes : calcul analytique des contributions propres, collisionnelles et croisées pour divers potentiels, 525
- Dunlap, R.A.** see Lawther, D.W., 463
- Durocher, J.J.G., Gallop, D.M., Kwok, C.B., Mathur, M.S., Mayer, J.K., McKee, J.S.C., Mirzai, A., Smith, G.R., and Yeo, Y.H.** A search for evidence of cold fusion in the direct implantation of palladium and indium with deuterium, 624
- Dworschak, K.** see Brückner, W., 1193
- Eastes, R.W.** see Gentieu, E.P., 82
- Eich, E., Faissner, H., Kim, B.R., Rein, D., and Rodenberg, R.** An estimate for 12-quark cluster probabilities, 1153
- Elman, B.** see Charbonneau, S., 315
- Emesh, I.** see Simard Normandin, M., 199
- Ermilov, A.N.** see Bakaev, A.V., 497
- Ethier, L., Massa, N.E., Béliveau, A., and Carlone, C.** The Raman spectrum of Cs₂SeO₄ crystals, 657
- Evans, W.F.J.** A hole in the Arctic polar ozone layer during March 1986, 161
- Fabre, G.** see Wick, A., 849
- Faissner, H.** see Eich, E., 1153
- Fanguin, R.** see Blanc, F., 148
- Fargeix, J.** see Baglin, Ch., 1222
- Feldman, P.D.** see Gentieu, E.P., 82
- Felgeyrolles, X.** see Baglin, Ch., 1222
- Fernández, F.M., Ma, Q., DeSmet, D.J., and Tipping, R.H.** Calculation of energy eigenvalues via supersymmetric quantum mechanics, 931
- Ferraz, A.** see Baglin, Ch., 1222
- Ferreira, R.** see Baglin, Ch., 1222
- Filabozzi, A.** see Dore, P., 599
- Flaud, J.-M.** see Chevillard, J.-P., 1065
- Fong, C.Y.** see Wartak, M.S., 1036
- Forand, J.L.** see Wang, S., 699
- Force, P.** see Baglin, Ch., 1222
- Fortin, E.** see Roth, A.P., 330
- Frank, B., Macot, L., and Bassias, K.V.** Ising model critical exponent η from a criticality equation, 946
- Fredj, L.** see Baglin, Ch., 1222
- Gagnon, L.** Continuous subgroups of the Galilei and Galilei-similitude groups, 1
- Gago, J.M.** see Baglin, Ch., 1222
- Gale, C., and Kapusta, J.** Dileptons as a probe of excited nuclear matter, 1200
- Gallop, D.M.** see Durocher, J.J.G., 624
- Galperin, Yu.I., and Volosevich, A.V.** The ARCAD-3 project and the theory of auroral structures, 719
- García, G., Ortiz, M., Blanco, F., Sánchez, J.A., and Campos, J.** Two-photon laser excitation of $2p^3(^2P_{1/2})\ 3d$ levels of neon, 977
- Garside, B.K.** see Hunt, N.E.J., 394
- Garside, B.K.** see Seymour, R.J., 440
- Gentieu, E.P., Eastes, R.W., Feldman, P.D., and Christensen, A.B.** The ultraviolet spectrum of a dayside aurora: 530 - 1500 Å, 82
- Gerschel, C.** see Baglin, Ch., 1222
- Ghaemi, Z.** Application of data screening to the characterization of integrated circuits, 221
- Ghatak, K.P.** see Mondal, M., 72
- Ghosh, D., Roy, J., and Sengupta, R.** Study of multiplicity and the pseudorapidity correlation in the forward and backward hemisphere for pions and protons emitted in a ¹²C - emulsion interaction at 4.5 A · GeV/c, 115
- Ghosh, D., Roy, J., and Sarkar, S.** Are Z = 2 anomalous fractionally charged projectile nuclei?, 128
- Giffon, M., et Predazzi, E.** La physique hadronique des collisions molles, 1113
- Gillet, D.** see Blanc, F., 148
- Ginting, M., and Leslie, J.D.** Preparation and electrical properties of heterojunctions of ZnO on Zn₃P₂ and CdTe, 448
- Girard, R., and Langnau, A.** The light-cone approach for the calculation of hadronic states, 1162
- Gire, A.** see Blanc, F., 148
- Gliniski, J.M.** see Keyworth, B.P., 408
- Gomes, P.** see Baglin, Ch., 1222
- Gorodetzky, Ph.** see Baglin, Ch., 1222
- Goswami, D.** see Krori, K.D., 753
- Goyal, D.P., Kumar, A., Singh, K.Y., and Singh, S.** Characteristics of clusters produced in nucleon-nucleus interactions at ultrahigh energies (\geq TeV), 119
- Grégoris, G.** see Beerens, J., 311
- Grossiord, J.Y.** see Baglin, Ch., 1222
- Guerfi, A., et St-Arnaud, J.M.** Étude expérimentale de propriétés piezo-optiques du CS₂ en phase liquide à 273,15 et 298,15 K pour des pressions jusqu'à 140 MPa, 957
- Guichard, A.** see Baglin, Ch., 1222
- Guillaud, J.P.** see Baglin, Ch., 1222
- Gujrathi, S.C.** see Blain, S., 190
- Gujrathi, S.C.** see Diawara, Y., 1007

- Gulacsi, M. see Ursu, I., 52
- Gulacsi, Z. see Ursu, I., 52
- Gupta, D.K. see Varshney, A.K., 131
- Gupta, K.K. see Varshney, A.K., 131
- Güttner, F. see Brückner, W., 1193
- Ha, B.-Y. see Kim, I.M., 31
- Hafner, H., and Ionescu-Pallas, N. Matter tensor in scalar-tensor theories of gravitation, 106
- Halpin, C. see Dubowski, J.J., 343
- Haque, A., and Brodie, D.E. The preparation and some properties of low resistivity Zn_3P_2 films prepared using a hot-wall deposition method, 893
- Haroutunian, R. see Baglin, Ch., 1222
- Harvey, M. The NN interaction and baryon structures, 1182
- Haugen, M., and Østgaard, E. Spin-polarized hydrogen, deuterium, and tritium: I. Ground-state energy calculated by a lowest order constrained-variation method, 63
- Haugen, M., and Østgaard, E. Spin-polarized hydrogen, deuterium, and tritium: II. Pressure and compressibility calculated by a lowest order constrained-variation method, 649
- Hautojärvi, P. Positron spectroscopy of bulk and near-surface defects in semiconductors, 813
- HELIOS collaboration. see Beaulieu, J.M., 1219
- Herrera, L., Jiménez, J., and Barreto, W. Evolution of radiating viscous spheres and gravitational collapse, 855
- Hillion, P. Two simple geometrical interpretations of the relativistic transformations, 967
- Hirose, A. see Sarkissian, A., 884
- Hoeneisen, B. Distribution of particles in high-multiplicity exclusive hadron collisions, 562
- Ho-Kim, Q., and Mathieu, P. One-loop amplitudes of closed bosonic strings, 41
- Hong-Yi, F., and Zaidi, H.R. Squeezing caused by a change of mass in a harmonic oscillator, 152
- Houghton, D.C. see Jang, H.F., 321
- Houghton, D.C. see Normandin, R., 412
- Howard, A.J., Anderson, T.J., Larochelle, S., Bassignana, I.C., Mandeville, P., and Svilans, M.N. Electrically active multilayer N-GaAs-p-AlGaAs quarter wave mirrors grown by molecular beam epitaxy, 232
- Hubert, J. see Ricard, A., 543
- Hughes, G. see Jones, B.K., 1022
- Hunt, N.E.J., Jessop, P.E., Garside, B.K., and Devine, R.L.S. Laser and photoluminescence spectra of InGaAs-GaAs strained-layer superlattices, 394
- Hurd, C.M. see Day, D.J., 238
- Hussein, K. see Babaky, O., 912
- Inkol, R.J., Washkurak, W.D., and Chamberlain, S.G. A photodetector array for acousto-optic signal processors, 400
- Ionescu-Pallas, N. see Hafner, H., 106
- Irfan, M. see Ahmad, T., 519
- Isler, K., LeTournoux, J., et Paranjape, M.B. Les skyrmions et la théorie de Morse, 1180
- Jackman, J. see Rao, T.S., 298
- Jackman, T.E. see Tandberg, E., 275
- Janega, P. see McKinnon, G.H., 326
- Jang, H.F., Datars, W.R., Timusk, T., and Houghton, D.C. Photothermal ionization spectroscopy of selectively boron-doped $\text{Ge}_{1-x}\text{Si}_x$ strained-layer heterostructures, 321
- Jayathirha, H. see Mazuruk, K., 339
- Jean, A. see Koskiahde, E., 251
- Jeong, M.H., and Kim, J.K. The four-gravitino tree amplitude in the superstring, 605
- Jessop, P.E. see Hunt, N.E.J., 394
- Ji, G., Ristic, V.M., and Reddy, U.K. Dependence of critical layer thickness on temperature for lattice-mismatched materials, 639
- Jiménez, J. see Herrera, L., 855
- Johnson, G.W., Brodie, D.E., and Crozier, E.D. Extended X-ray absorption fine-structure analysis of vacuum-deposited amorphous germanium, 358
- Jones, B.K., Berry, M.G., and Hughes, G. A test of quantum $1/f$ noise using α decay, 1022
- Jörissen, L., Prinz, H., Kreiner, W.A., Wenger, Ch., Pierre, G., Magerl, G., and Schupita, W. The v_3 fundamental of silicon tetrafluoride. Spectroscopy with laser sidebands, 532
- Joseph, R.R. see Shivpuri, R.K., 963
- Joshi, Y.N. see Arcimowicz, B., 572
- Judd, B.A. see Swartz, E.G., 614
- Kabanovich, V.I. see Bakaev, A.V., 497
- Kajrys, G. see Kim, J.C., 135
- Kapusta, J. see Gale, C., 1200
- Karmakar, B. see Das, G.C., 609
- Kasap, S.O., and Yannacopoulos, S. Mechanical and thermal properties of the glassy semiconductor chlorinated $\text{Se}_{0.997}\text{As}_{0.003}$ used as an X-ray imaging material, 686
- Kasap, S.O. Transient photoconductivity measurements on halogenated a- $\text{Se}_{1-x}\text{Te}_x$ photoconductors, 1053
- Kennett, T.J. see Pepper, G.T., 468
- Keyes, E.P., and Tarr, N.G. Effect of annealing on polysilicon emitter transistors, 179
- Keyworth, B.P., Cada, M., Glinski, J.M., SpringThorpe, A.J., and Mandeville, P. All-optical switching in a GaAs-based multiple quantum well directional coupler, 408
- Kim, B.R. see Eich, E., 1153
- Kim, I.M., and Ha, B.-Y. Dynamical perturbation theory for the evaluation of the relaxation function, 31
- Kim, J.C., Kajrys, G., and Del Bianco, W. The ^{12}C (^3He , γ_{1+2}) ^{15}O reaction in the giant dipole resonance region, 135
- Kim, J.K. see Jeong, M.H., 605
- Klemberg-Sapieha, J.E. see Blain, S., 190
- Kluberg, L. see Baglin, Ch., 1222
- Kneis, H. see Brückner, W., 1193
- Kodeli, I. see Peternelj, J., 1085
- Koskiahde, E., Cossement, D., Paynter, R., Dodelet, J.P., Jean, A., and Lombos, B.A. Doping of GaAs epitaxial layers grown on (100) GaAs by close-spaced vapor transport, 251
- Koteles, E.S. see Charbonneau, S., 315
- Kraus, L. see Baglin, Ch., 1222
- Kreiner, W.A. see Jörissen, L., 532
- Krori, K.D., Borgohain, P., and Das, K. Exact interior solutions in higher dimensions, 25
- Krori, K.D., Choudhury, R., and Sarmah, J.C. Trajectories of material particles in Kerr-Newman-de Sitter space-time, 501
- Krori, K.D., and Sarmah, J.C. Distorted polar trajectories around a black hole in a gravitational field, 505
- Krori, K.D., and Goswami, D. Geodetic study of some homogeneous space-times, 753
- Krori, K.D., Borgohain, P., and Das (Kar), D. Quantum fluctuations near a space-time singularity, 935
- Krori, K.D., and Sarmah, J.C. Polar trajectories around a black hole in a magnetic field, 971
- Krupski, M., and Armstrong, R.L. High-pressure nuclear quadrupolar resonance study of dynamical effects associated with the structural phase transition in K_2OsCl_6 , 566

- Kumar, A. see Goyal, D.P., 119
 Kumar, V.P. see Lingam, S.C., 139
 Kwok, C.B. see Durocher, J.J.G., 624
 Kwon, T.H. Thermodynamic properties of crystalline KCl, 664
 Kyriacou, G.A., and Sahalos, J.N. Input impedance of a 30–60–90° triangular patch antenna, 1044
 Lacelle, C. see Roth, A.P., 330
 LaFrance, P. Looking for nonstrange dibaryonic resonances at intermediate energies, 1194
 Landaud, G. see Baglin, Ch., 1222
 Landheer, D. see McKinnon, G.H., 326
 Lang, R.V., Leslie, J.D., Webb, J.B., Roth, A.P., Saciloti, M.A., and Masut, R.A. Deep-level transient spectroscopic investigation of the EL2 deep-level in metalorganic chemical vapour deposited $\text{Ga}_{1-x}\text{In}_x$ As epilayers, 283
 Langnau, A. see Girard, R., 1162
 Laroche, S. see Howard, A.J., 232
 Lavielle, D. see Beerens, J., 311
 Law, J. see Weisnagel, S., 904
 Lawley, K.P. see Tellinghuisen, J., 863
 Lawther, D.W., Dunlap, R.A., and Srinivas, V. On the question of stability and disorder in icosahedral aluminum – transition metal alloys, 463
 LeGeyt, J. see Dubowski, J.J., 343
 Lépine, Y. see de Ladurantaye, L., 425
 Leroy, C. Quelques aspects de la physique des collisions noyau-noyau à énergie ultra relativiste, 1207
 Leslie, J.D. see Lang, R.V., 283
 Leslie, J.D. see Ginting, M., 448
 LeTourneau, J. see Isler, K., 1180
 Lewis, L.J. see de Ladurantaye, L., 425
 Li, G.L. see Ng, K.K., 706
 Linck, I. see Baglin, Ch., 1222
 Lingam, S.C., Babu, K.S., Kumar, V.P., and Reddy, D.V.K. Total-to-K-shell photoelectric cross-section ratios in some rare-earth and high-Z elements, 139
 Liu, K.L., and Vosko, S.H. A time-dependent spin density functional theory for the dynamical spin susceptibility, 1015
 Llewellyn, E.J. see Lloyd, N.D., 89
 Lloyd, N.D., and Llewellyn, E.J. Deconvolution of blurred images using photon counting statistics and maximum probability, 89
 Lo, B. see Armstrong, R.L., 1040
 Lockwood, D.J., Baribeau, J.-M., and Timbrell, P.Y. Raman and X-ray diffraction study of relaxation in $\text{Si-Si}_{1-x}\text{Ge}_x$ strained-layer superlattices, 351
 Loiseau, B. Skyrmions and effective Lagrangians, 1168
 Lomaglio, G. see Blanc, F., 148
 Lombos, B.A. see Koskiahde, E., 251
 Lourenco, C. see Baglin, Ch., 1222
 Lussier, P., Bélanger, M., Meunier, M., and Currie, J.F. CF_4 -Ar reactive ion etching of gallium arsenide, 259
 Lynn, K.G., Nielsen, B., and Welch, D.O. Hydrogen interaction with oxidized Si(111) probed with positrons, 818
 Ma, Q. see Fernández, F.M., 931
 MacDonald, M. see Tellinghuisen, J., 863
 MacDonald, R.I. Review/Synthèse Optoelectronic matrix switching, 389
 MacDonald, W.D. see Zwart, E.G., 614
 Maciaszek, M. see Steiner, T., 242
 Maciaszek, M., Rogers, D.W., Bult, R.P., Steiner, T., Zhang, Y., Charbonneau, S., and Thewalt, M.L.W. Photoluminescence for characterization of commercial semi-insulating GaAs, 384
 MacKenzie, I.K. Nondestructive analysis of thick-target specimens by gamma-ray backscatter, 827
 Macot, L. see Frank, B., 946
 Madsen, L.D., and Mercier, J.S. Rapid densification of borophosphosilicate glass, 174
 Magerl, G. see Jörissen, L., 532
 Maio, A. see Baglin, Ch., 1222
 Majewski, S. see Brückner, W., 1193
 Makuc, B. see Mazuruk, K., 339
 Mallard, R.E. High-resolution electron microscopy characterization of interfaces in group III-V semiconductors, 262
 Mandeville, P. see Howard, A.J., 232
 Mandeville, P. see Keyworth, B.P., 408
 Mandin, J.-Y. see Chevillard, J.-P., 1065
 Marchand, R., Birnboim, A., Capjack, C.E., and Salzmann, D. A fast radiation transport algorithm for planar laser-produced plasmas, 155
 Margolis, B., et Valin, P. Modèles pour l'interaction hadronique à haute énergie, 1101
 Margot-Chaker, J. see Ricard, A., 543
 Martin, I. see Barrientos, C., 996
 Massa, N.E. see Ethier, L., 657
 Masut, R.A. see Lang, R.V., 283
 Masut, R.A. see Roth, A.P., 330
 Mathieu, P. see Ho-Kim, Q., 41
 Mathur, M.S. see Durocher, J.J.G., 624
 Maung, K.M., Deutchman, P.A., and Royalty, W.D. Integrals involving the three-parameter Fermi function, 95
 Mayer, J.K. see Durocher, J.J.G., 624
 Mazuruk, K., Benzaquen, M., Walsh, D., Makuc, B., Jayathirath, H., and Aharoni, H. Characteristics of n-ZnSe – n-GaAs using metalorganic chemical-vapour desposition, 339
 McAlister, S.P. see Day, D.J., 238
 McConkey, J.W. see Wang, S., 694
 McConkey, J.W. see Wang, S., 699
 McDonald, A.B. Nuclear tests of fundamental interactions, 785
 McIntyre, N.S. see Paquin, L., 365
 McKee, B.T.A. Deconvolution of noisy data using *a priori* constraints, 821
 McKee, J.S.C. see Durocher, J.J.G., 624
 McKellar, A.R.W. The spectrum of gaseous methane at 77 K in the 1.1 – 2.6 μm region: a benchmark for planetary astronomy, 1027
 McKeon, D.G.C. Operator regularization on the hypersphere, 669
 McKeon, D.G.C. A spin-two gauge theory, 743
 McKeon, D.G.C. Quantum corrections to the geodesic equation, 837
 McKinnon, G.H., McMullin, J.N., Landheer, D., Buchanan, M., Janega, P., and Denhoff, M.W. Selective contacts for silicon-doping superlattices, 326
 McMullin, J.N. see McKinnon, G.H., 326
 Mercier, J.S. see Madsen, L.D., 174
 Meunier, M. see Lussier, P., 259
 Michaud, F. see Roux, F., 143
 Mirman, R. Unitary-group canonical representations, 766
 Mirman, R. see Soto, M.F., Jr., 774
 Mirzai, A. see Durocher, J.J.G., 624
 Missio, M. see Dagg, I.R., 507
 Mitarai, O. see Sarkissian, A., 884
 Mitchell, D.B., Nogami, Y., and Whelan, N.D. Relativistic versus nonrelativistic Hartree-Fock calculations: solvable examples in one dimension, 583

- Mladenovic, D.** see Ristić, Lj., 207
- Moisan, M.** see Ricard, A., 543
- Mondal, M., Banik, S.N., and Ghatak, K.P.** Effect of a quantizing magnetic field on the Einstein relation in bismuth, 72
- Moriarty, K.J.M.** see Campostrini, M., 792
- Morris, D.** see Roth, A.P., 330
- Movaghar, B.** *Review/Synthèse* Physics of microstructures, 304
- Mulhern, P.J.** Lithium intercalation in crystalline Li_xMoS_2 , 1049
- NA38 collaboration.** see Baglin, Ch., 1222
- Nathan, A.** see Allegretto, W., 212
- Ng, K.K., and Li, G.L.** Tensor couplings in the nucleon-nucleon interaction, 706
- Nielsen, B.** Lynn, K.G., 818
- Noad, J.P.** see Rao, T.S., 298
- Nogami, Y.** see Mitchell, D.B., 583
- Nomachi, M.** see Brückner, W., 1193
- Norbury, J.W.** Excited state baryon masses in a quark-diquark model, 876
- Normandin, R., Houghton, D.C., and Simard Normandin, M.** All-optical, silicon based, fiber optic modulator using a near cutoff region, 412
- Ogren, H.** see Baglin, Ch., 1222
- Onwuagba, B.N.** Lattice dynamics of molybdenum and tungsten, 489
- Ortiz, M.** see García, G., 977
- Østgaard, E.** see Haugen, M., 63
- Østgaard, E.** see Haugen, M., 649
- Oxorn, K.** see Diawara, Y., 1007
- Pandey, V.P., Chandola, H.C., and Rajput, B.S.** Dyon-dyon bound states, 1002
- Paquin, L., Wertheimer, M.R., Sacher, E., and McIntyre, N.S.** X-ray photoelectron spectroscopy studies of aging effects on the surface of Au - a-Si:H - Sb-Cr Schottky diodes, 365
- Parameswaran, M., Ristić, Lj., Dhaded, A.C., Baltes, H.P., Allegretto, W., and Robinson, A.M.** Fabrication of microbridges in standard complementary metal oxide semiconductor technology, 184
- Paranjape, M.B.** see Isler, K., 1180
- Pathria, R.K.** see Allen, S., 952
- Patino, A.** Symmetries and constants of motion of geodesic equations, 485
- Paul, S.** see Brückner, W., 1193
- Paynter, R.** see Koskiahde, E., 251
- Pearce, N.** see Simard Normandin, M., 199
- Pepper, G.T., Kennett, T.J., and Prestwich, W.V.** A re-investigation of the possibility of $1/f$ noise fluctuations in α decay, 468
- Peralta, L.** see Baglin, Ch., 1222
- Peternelj, J., Kodeli, I., and Pintar, M.M.** Rotational tunneling of methyl groups in a strong magnetic field: a path-integral approach, 1085
- Phillips, J.E.** see Damaskinos, S., 420
- Pierre, G.** see Jörissen, L., 532
- Pimenta, M.** see Baglin, Ch., 1222
- Pintar, M.M.** see Peternelj, J., 1085
- Pizzi, J.R.** see Baglin, Ch., 1222
- Ponce de Leon, J.** Static effects of intermediate-range forces on polytropic stars of index $N = 1$, 845
- Portal, J.C.** see Beerens, J., 311
- Potvin, J.** see Campostrini, M., 792
- Potvin, J.** La physique de la matière nucléaire à haute température telle que décrite par la chromodynamique quantique sur réseau espace-temps., 1228
- Povh, B.** see Brückner, W., 1193
- Powell, B.M.** see Armstrong, R.L., 1040
- Prasad, A.** see Shivpuri, R.K., 963
- Predazzi, E.** see Giffon, M., 1113
- Prestwich, W.V.** see Pepper, G.T., 468
- Prinz, H.** see Jörissen, L., 532
- Pulfrey, D.L.** see Tsou, B.P.C., 218
- Qiu, C.X.** see Qiu, S.N., 435
- Qiu, C.X., and Shih, I.** Photovoltaic devices fabricated on electrodeposited CuInSe_2 films, 444
- Qiu, S.N., Qiu, C.X., and Shih, I.** CdZnSO and ZnSO films for optoelectronic application, 435
- Quasso, F.** see Consolati, G., 76
- Quiroga, L.** see Baquero, R., 841
- Racca, C.** see Baglin, Ch., 1222
- Raghavarao, R.** see Sharma, P., 166
- Rajput, B.S.** see Chandola, H.C., 645
- Rajput, B.S.** see Pandey, V.P., 1002
- Ramos, S.** see Baglin, Ch., 1222
- Ransome, R.D.** see Brückner, W., 1193
- Rao, K.N.** see Balasubramanian, T.K., 79
- Rao, T.C.K.** Scattering by a radially inhomogeneous cylindrical dielectric shell due to an incident Gaussian beam, 471
- Rao, T.S., Webb, J.B., Noad, J.P., and Jackman, J.** The study of carbon incorporation during growth in epitaxial indium antimonide layers prepared by metalorganic magnetron sputtering, 298
- Raoult, G.** see Blanc, F., 148
- Read, L.A.A.** see Dagg, I.R., 507
- Rebbi, C.** see Campostrini, M., 792
- Reddy, D.V.K.** see Lingam, S.C., 139
- Reddy, U.K.** see Ji, G., 639
- Rein, D.** see Eich, E., 1153
- Resca, L.** Intervalley kinetic energy terms in the effective mass equation: a one-dimensional analytical study, 896
- Reynhardt, E.C.** A nuclear magnetic resonance study of ^1H , ^{23}Na , and ^{31}P relaxation and molecular dynamics in the sodium salts of some pyrophosphates, 592
- Ricard, A., Barbeau, C., Besner, A., Hubert, J., Margot-Chaker, J., Moisan, M., and Sauvé, G.** Erratum: Production of metastable and resonant atoms in rare-gas (He, Ne, Ar) radio-frequency and microwave-sustained discharges, 543
- Ristić, Lj.** see Parameswaran, M., 184
- Ristić, Lj., Truong, T.Q., Doan, M., Mladenovic, D., and Baltes, H.P.** Influence of surface effects on the sensitivity of magnetic-field sensors, 207
- Ristic, V.M.** see Ji, G., 639
- Ritoux, G.** see Wick, A., 849
- Rizvi, I.A., Bhardwaj, M.K., Ansari, M.A., and Chaubey, A.K.** Nonequilibrium effects in α -particle induced reactions on gallium isotopes, 870
- Rizvi, I.A., Bhardwaj, M.K., Ansari, M.A., and Chaubey, A.K.** Preequilibrium emission of multiparticles in α -induced reactions with ^{55}Mn nucleus, 1091
- Robinson, A.M.** see Parameswaran, M., 184
- Rodenberg, R.** see Eich, E., 1153
- Rogers, D.W.** see Maciaszek, M., 384

- Romana, A.** see Baglin, Ch., 1222
- Roriz, L.A.L., and Delfino, A.** S-matrix pole trajectories for separable interactions, 37
- Roth, A.P.** see Lang, R.V., 283
- Roth, A.P., Sacilotti, M.A., Masut, R.A., Morris, D., Young, J., Lacelle, C., Fortin, E., and Brebner, J.L.** The effects of substrate orientation on the optical properties of InGaAs epitaxial layers grown by low-pressure metal organic vapour-phase epitaxy, 330
- Roux, F., Michaud, F., and Vervloet, M.** High-resolution Fourier spectrometry of $^{14}\text{N}_2$: analysis of the (0-0), (0-1), (0-2), (0-3) bands of the $\text{C}^3\Pi_u - \text{B}^3\Pi_g$ system, 143
- Roy, J.** see Ghosh, D., 115
- Roy, J.** see Ghosh, D., 128
- Roy, M.** see Damaskinos, S., 420
- Royalty, W.D.** see Maung, K.M., 95
- Ruppin, R., and Yatom, H.** Electromagnetic scattering from a coated notched cylinder, 587
- Rusu, P.** see Barut, A.O., 100
- Sacher, E.** see Paquin, L., 365
- Sacilotti, M.A.** see Lang, R.V., 283
- Sacilotti, M.A.** see Roth, A.P., 330
- Sahalos, J.N.** see Chrysomallis, M., 747
- Sahalos, J.N.** see Kyriacou, G.A., 1044
- Sahu, R.** Low-lying collective bands in the even tungsten isotopes $^{180-186}\text{W}$, 479
- Salmeron, R.** see Baglin, Ch., 1222
- Salzmann, D.** see Marchand, R., 155
- Sánchez, J.A.** see García, G., 977
- Sangachin, A.A.S., and Shanker, J.** Spectroscopic constants and potential-energy derivatives for diatomic molecules of alkali halides, 974
- Sarkar, S.** see Ghosh, D., 128
- Sarkissian, A., Hirose, A., Mitarai, O., Wolfe, S., and Skarsgard, H.M.** Turbulent heating experiment in the STOR-1M tokamak, 884
- Sarmah, J.C.** see Krori, K.D., 501
- Sarmah, J.C.** see Krori, K.D., 505
- Sarmah, J.C.** see Krori, K.D., 971
- Sauvé, G.** see Ricard, A., 543
- Savado, O., and Yelon, A.** Photocorrosion of hydrogenated amorphous silicon: effect of the solvent, 980
- Schultz, P.J.** see Tandberg, E., 275
- Schupita, W.** see Jörissen, L., 532
- Sebak, A., and Shafai, L.** Scattering by a two-layer spherical dielectric object in a lossy medium illuminated by a loop carrying an arbitrary azimuthal mode, 617
- Sengupta, R.** see Ghosh, D., 115
- Sewell, P.B.** see Dubowski, J.J., 343
- Seymour, R.J., and Garside, B.K.** Intrinsic and extrinsic factors limiting the time response of inter-digital photodetectors, 440
- Shafai, L.** see Sebak, A., 617
- Shafi, M.** see Ahmad, T., 519
- Shanker, J.** see Sangachin, A.A.S., 974
- Sharma, P., and Raghavarao, R.** Simultaneous occurrence of ionization ledge and counter-electrojet in the equatorial ionosphere: observational evidence and its implications, 166
- Shibata, T.-A.** see Brückner, W., 1193
- Shih, I.** see Weng, W.S., 294
- Shih, I.** see Qiu, S.N., 435
- Shih, I.** see Qiu, C.X., 444
- Shivpuri, R.K., Prasad, A., and Joseph, R.R.** Primary energy estimation in proton-nucleon and proton-nucleus interactions at 800 GeV, 963
- Siakavara, K.** see Chrysomallis, M., 747
- Siebert, H.-W.** Experimental searches for exotic multi-quark particles, 1148
- Simard Normandin, M., Emesh, I., D'Asti, G., de Wilton, A.C., and Pearce, N.** Characterization of silicon oxide films deposited using tetraethylorthosilicate, 199
- Simard Normandin, M.** see Normandin, R., 412
- Simas, A.M.** see Westgate, W.M., 543
- Singh, Kh.I.** see Das, G.C., 609
- Singh, K.Y.** see Goyal, D.P., 119
- Singh, S.** see Goyal, D.P., 119
- Sinquin, A.** see Baglin, Ch., 1222
- Skarsgard, H.M.** see Sarkissian, A., 884
- Smith, G.R.** see Durocher, J.J.G., 624
- Smith, V.H., Jr.** see Westgate, W.M., 543
- Smith, W.** see Dagg, I.R., 507
- Smy, T.** see Brett, M.J., 347
- Sonderregger, P.** see Baglin, Ch., 1222
- Sonoda, H.** see Bijmens, J., 543
- Soto, M.F., Jr., and Mirman, R.** Unitary-group canonical states and matrix elements, 774
- SpringThorpe, A.J.** see Keyworth, B.P., 408
- Srinivas, V.** see Lawther, D.W., 463
- Staley, F.** see Baglin, Ch., 1222
- St-Arnaud, J.M.** see Guerfi, A., 957
- Steele, A.G., and Thewalt, M.L.W.** Photoluminescence studies of defects in annealed Czochralski silicon, 268
- Steiner, T., Zhang, Y., Charbonneau, S., Villemare, A., Thewalt, M.L.W., Maciaszek, M., and Bult, R.P.** Optical techniques for characterizing Si GaAs, 242
- Steiner, T.** see Maciaszek, M., 384
- Sur, A.K.** Thermal effects on ion-acoustic whistlers in the ionosphere in the presence of negative ions, 457
- Svilans, M.N.** see Howard, A.J., 232
- Tandberg, E., Schultz, P.J., Aers, G.C., and Jackman, T.E.** Defect profiling of semiconductor epilayers using positron beams, 275
- Tariq, M.** see Ahmad, T., 519
- Tarr, N.G.** see Keyes, E.P., 179
- Teh, C.K., Weichman, F.L., Tin, C.C., and Barnes, P.A.** EL2 and gallium antisite defects in GaAs:Si, 375
- Tellinghuisen, J., Austin, D., MacDonald, M., Lawley, K.P., and Donovan, R.J.** Isotopic mass dependence in the bound-free D-X fluorescence spectrum of Br_2 , 863
- Theobald, J.-G.** see Blanc, F., 148
- Thewalt, M.L.W.** see Steiner, T., 242
- Thewalt, M.L.W.** see Steele, A.G., 268
- Thewalt, M.L.W.** see Charbonneau, S., 315
- Thewalt, M.L.W.** see Maciaszek, M., 384
- Thomas, R.E., Varma, S., Waechter, D., Dodd, C.X., and Das, S.R.** Screen printed Ta_2O_5 and TiO_2 antireflection coatings for crystalline and polycrystalline silicon solar cells, 430
- Timbrell, P.Y.** see Lockwood, D.J., 351
- Timusk, T.** see Jang, H.F., 321
- Tin, C.C.** see Teh, C.K., 375
- Tipping, R.H.** see Fernández, F.M., 931

- Todd, D.** see Dubowski, J.J., 343
- Tong, B.Y., Wu, X.W., Yang, G.R., and Wong, S.K.** A study of hydrogen diffusion in crystalline silicon by secondary-ion mass spectrometry, 379
- Tosa, V.** see Ursu, I., 52
- Treichel, M.** see Brückner, W., 1193
- Treml, T.F.** Dimensional regularization and the path-integral approach to photon mass in the Schwinger model, 515
- Trudeau, M.** see Day, D.J., 238
- Truong, T.Q.** see Ristić, Lj., 207
- Tsou, B.P.C., Chu, K.M., and Pulfrey, D.L.** Series resistance calculations for polysilicon tunnel junction emitter transistors, 218
- Tyagi, R.K.** see Varshney, A.K., 131
- Ursu, I., Bogdan, M., Balibanu, F., Gulacsi, Z., Gulacsi, M., Tosa, V., and Demco, D.E.** Quadrupolar spin relaxation mechanisms for ^{235}U in liquid UF_6 , 52
- Valin, P.** see Margolis, B., 1101
- Varela, J.** see Baglin, Ch., 1222
- Varma, S.** see Thomas, R.E., 430
- Varshney, A.K., Gupta, K.K., Gupta, D.K., and Tyagi, R.K.** Triaxiality in $^{146,148}\text{Sm}$ nuclei, 131
- Vatsya, S.R.** *Rapid Communication/Communication rapide:* Gauge-theoretical origin of mechanics, 634
- Vervloet, M.** see Roux, F., 143
- Villemaire, A.** see Steiner, T., 242
- Vithayathil, P.J.** see Gannu, R.K., 836
- Volosevich, A.V.** see Galperin, Yu.I., 719
- Vosko, S.H.** see Liu, K.L., 1015
- Waechter, D.** see Thomas, R.E., 430
- Wagner, D.** see Cordeiro, C.E., 1011
- Walcher, Th.** see Brückner, W., 1193
- Wallace, G.** A note on gravitational radiation, 476
- Walsh, D.** see Mazuruk, K., 339
- Wang, S., and McConkey, J.W.** Vacuum ultraviolet emissions of trifluoromethane following electron impact in the wavelength range 50–130 nm, 694
- Wang, S., Forand, J.L., and McConkey, J.W.** Dissociative excitation of CF_4 by controlled electron impact, 699
- Wartak, M.S., and Fong, C.Y.** Study of correlation functions in molecular crystals, 1036
- Washkurak, W.D.** see Inkol, R.J., 400
- Wassef, W.A.** A new interpretation of the wave function, 493
- Webb, J.B.** see Lang, R.V., 283
- Webb, J.B.** see Rao, T.S., 298
- Weichman, F.L.** see Teh, C.K., 375
- Weisnagel, S., and Law, J.** Corrections to the tritium β decay spectrum arising from radiative and atomic effects and their relationship to neutrino mass experiments, 904
- Weiss, J.** A note on linear action at a distance interaction and the possibility of its deterministic reformulation, 927
- Welch, D.O.** see Lynn, K.G., 818
- Weng, W.S., Yip, L.S., Shih, I., and Champness, C.H.** Crystal growth of CuInSe_2 by the Bridgman method, 294
- Wenger, Ch.** see Jörissen, L., 532
- Wertheimer, M.R.** see Blain, S., 190
- Wertheimer, M.R.** see Paquin, L., 365
- Westgate, W.M., Byrne, A.D., Smith, V.H., Jr., and Simas, A.M.** Erratum: Electron-nuclear cusp check for self-consistent field wave functions for the neutral atoms from helium to uranium, 543
- Westra, K.L.** see Brett, M.J., 347
- Whelan, N.D.** see Mitchell, D.B., 583
- Wick, A., Zepp, G., Boubakra, A., Fabre, G., et Ritoux, G.** Énergie localisée autour d'un guide à ondes de surface pour un mode HE_{11} , 849
- Williams, B.G.** Compton scattering and the MacKenzie spectrometer, 798
- Williams, D.F.** see Dubowski, J.J., 343
- Wise, M.B.** see Bijnens, J., 543
- Wolf, C.** General relativistic stability of Q matter with a $\text{SO}(2) \times \text{SO}(2)$ global symmetry, 579
- Wolfe, S.** see Sarkissian, A., 884
- Wong, S.K.** see Tong, B.Y., 379
- Wright, L.S.** see Zwartz, E.G., 614
- Wrobel, J.M.** see Dubowski, J.J., 343
- Wu, X.W.** see Tong, B.Y., 379
- Yang, G.R.** see Tong, B.Y., 379
- Yannacopoulos, S.** see Kasap, S.O., 686
- Yatom, H.** see Ruppel, R., 587
- Yelon, A.** see Savadogo, O., 980
- Yeo, Y.H.** see Durocher, J.J.G., 624
- Yip, L.S.** see Weng, W.S., 294
- Young, J.** see Roth, A.P., 330
- Zafar, M.** see Ahmad, T., 519
- Zaghloul, M.S.** Anomalous effects of planar Hall voltage and magnetoresistance of $m3m$ group ($n\text{-PbS}$, $n\text{-Ge}$, and $n\text{-Si}$ cubic crystals) at different temperatures, 984
- Zaidi, H.R.** see Hong-Yi, F., 152
- Zepp, G.** see Wick, A., 849
- Zhang, Y.** see Steiner, T., 242
- Zhang, Y.** see Maciaszek, M., 384
- Zwartz, E.G., Judd, B.A., Batalla, E., Wright, L.S., and MacDonald, W.D.** Silsbee rule in $\text{YBa}_2\text{Cu}_3\text{O}_7$ ceramic superconductors, 614

